

November 19th A.D. 1863.

ran the following lot of land for the benefit of
 Sarilda Polley widow of James C. Polley late of
 Monroe County Indiana Decd^d situate in the North
 East quarter of the North east quarter of Section No 32.
 Township No 10 north of Range No one east Beginning
 29 poles & 8 links west of the North east corner of said
 Section No 32. at a stone witness tree Black Ash 18 inches
 diameter S 35° E 73 1/2 links distant then S 1° E 80 poles
 to a stone witness tree red oak 16 inches diameter
 N 76 1/2° W 56 links distant then west 50 poles & 13 links
 to a stone then north 80 poles to a stone then east
 51 poles & 17 1/2 links to the beginning containing 25 acres
 and one half

Chain bears. Joseph Polley (Sen) & Joseph C.
 Bates by consent of parties. Sarilda Polley & William
 C. Brown.

James H. Spencer
 Monroe County Surveyor.

November 24th A.D. 1863.

Surveyed for Reuben Clark (Sen) Adam Sheekard William
 Shields. Michael Trampers. Hiram Hayless Mizz. & Polley
 Section No 31 Township No 8 north of Range No one
 East of the 2nd principal Meridian.

length of the line East & west through the center 316 poles & 4 links.
 length of the line North & South through the center 320 poles 17 links
 corner made 160 poles ^{10 1/2 links} East of the Sth corner of said Section
 or at the Southern 1/2 mile post witness tree none made but
 planted a stone

length of the line from the Sth corner to the South East
 corner 321 poles & 4 links.

length of the line from the North west corner to the South
 west corner 324 poles & 24 links.

corner made at the western 1/2 mile post ~~on half~~ by
 planting a stone witness tree Beech ¹⁵/₄ inches diameter
 S 90° E ³¹/₄ links distant Beech 30 inches diam N 63° W 43 links dist
 corner made 80 poles & 6 links north of the South west
 corner of said Section No 31.

corner made 77 poles & 3 links South of the Southern half mile post & stone plandit.

corner made at the center of Section 31 T8 R1 E by planting a stone. corner made by planting a stone

corner made by planting a stone East of the center

corner made by planting a stone 80 poles $7\frac{1}{4}$ links east of the

X Southern $\frac{1}{2}$ mile post

length of the line South of the center 159 poles 23 links.

length of the line North of the center 160 poles 21 links

Columan Carter and William Shields.

Chain Bearers: sworn

James H. Spencer

Monroe County Surveyor.

November 30th A D. 1863.

ran the following lot of land for Charles Coor Mary Clarkston & James Sullivan beginning at the North East corner of Section No 25 T10 R1 W stone planted and witness three red oak 12 inches diameter S 67° E 26 links distant then South with the Meridian 77 poles & 9 links ~~intercept~~ it being the intermediate distance between the North East corner of said Section No 25 to the Eastern $\frac{1}{2}$ mile of the same witness three Hickory 3. in diameter N 48° E 40 links dist. then west 78 poles $1\frac{1}{2}$ links to a stake then North 77 poles & 9 links to a stake it being the intermediate distance between the North East corner of said Section No 25 to the Northern $\frac{1}{2}$ mile post of the same then East with the section line 78 poles $1\frac{1}{2}$ links to the beginning.

Chain bearers. Stephen Wilson & Hiram A. Baston
Sworn

James H. Spencer

Monroe County Surveyor

November 19th A.D. 1863.

ran the following lot of land for the benefit of
 Sarilda Polley widow of James C. Polley late of
 Monroe County Indiana Decd^d situate in the North
 East quarter of the North east quarter of Section No 32.
 Township No 10 north of Range No one east Beginning
 29 poles & 8 links west of the North east corner of said
 Section No 32. at a stone witness tree Black Ash 18 inches
 diameter S 35° E 73 1/2 links distant then S 1° E 80 poles
 to a stone witness tree red oak 16 inches diameter
 N 76 1/2° W 56 links distant then west 50 poles & 13 links
 to a stone then north 80 poles to a stone then east
 51 poles & 17 1/2 links to the beginning containing 25 acres
 and one half

Chain bears. Joseph Polley (Sen) & Joseph C.
 Bates by consent of parties. Sarilda Polley & William
 C. Brown.

James H. Spencer
 Monroe County Surveyor.

November 24th A.D. 1863.

Surveyed for Reuben Clark (Sen) Adam Sheekard William
 Shields. Michael Trampers. Hiram Hayless Miz. & Polley
 Section No 31 Township No 8 north of Range No one
 East of the 2nd principal Meridian.

length of the line East & west through the center 316 poles & 4 links.
 length of the line North & South through the center 320 poles 17 links
 corner made 160 poles ^{10 1/2 links} East of the Sth corner of said Section
 or at the Southern 1/2 mile post witness tree none made but
 planted a stone

length of the line from the Sth corner to the South East
 corner 321 poles & 4 links.

length of the line from the North west corner to the South
 west corner 324 poles & 24 links.

corner made at the western 1/2 mile post ~~on half~~ by
 planting a stone witness tree Beech ¹⁵/₄ inches diameter
 S 90° E ³¹/₄ links distant Beech 30 inches diam N 63° W 43 links dist
 corner made 80 poles & 6 links north of the South west
 corner of said Section No 31.

corner made 77 poles & 3 links South of the Southern half mile post & stone plandit.

corner made at the center of Section 31 T8 R1 E by planting a stone. corner made by planting a stone

corner made by planting a stone East of the center

corner made by planting a stone 80 poles $7\frac{1}{4}$ links east of the Southern $\frac{1}{2}$ mile post

length of the line South of the center 159 poles 23 links.

length of the line North of the center 160 poles 21 links

Columan Carter and William Shields.

Chain Bearers: sworn

James H. Spencer
Monroe County Surveyor.

November 30th A.D. 1863.

ran the following lot of land for Charles Coor Mary Clarkston & James Sullivan beginning at the North East corner of Section No 25 T10 R1 W stone planted and witness three red oak 12 inches diameter S 67° E 26 links distant then South with the Meridian 77 poles & 9 links ~~intercept~~ it being the intermediate distance between the North East corner of said Section No 25 to the Eastern $\frac{1}{2}$ mile of the same witness three Hickory 3. in diam N 48° E 40 links dist. then west 78 poles $1\frac{1}{2}$ links to a stake then North 77 poles & 9 links to a stake it being the intermediate distance between the North East corner of said Section No 25 to the Northern $\frac{1}{2}$ mile post of the same then East with the section line 78 poles $1\frac{1}{2}$ links to the beginning.

Chain bearers. Stephen Wilson & Hiram A. Baston
Sworn

James H. Spencer
Monroe County Surveyor